
| | INFORMA | TION | DISCI | 9 | E J | <u>ر</u> ح | | Docket No.:DT-3073 Serial No.: 09/380,015 | | | | | | |
|----------------|----------|---|---|------------------|------------|-------------|------|--|--|----------|--------------|-----------------------|---------|--|
| C1 | ITATION | IN A | | . €cva | , <i>6</i> | THE COURT | 13 | Applicant(s): Carsten Korth, et al. | | | | | | |
| | | | 1 | 129 | . ' | . L TS | | Docket No.:DT-3073 Serial No.: 09/380,015 Applicant(s): Carsten Korth, et al. Filing Date: August 23, 1999 Group: 1648 | | | | | | |
| | | | | ~~ | - | | | | .s. patent documents | | | | **** | |
| | | | | | | | | | | | | P414-4 | - Data | |
| Exam. Init. | | Document Number | | | | | | Date | Namo | Class | Subclass | Filing if appr | | |
| | AA | | | | | | - | | | | | | | |
| | AB | | | | | | | | | | | | | |
| | 1 | | | | | | | FOF | REIGN PATENT DOCUMENTS | | | . | | |
| | | Document Number | | | | | | Date | COUNTRY | Class | Subclass | TRANSLATION Yes No | | |
| | AC | | | | | | | | | | | | | |
| | AD | | | | | | | | | | | | - | |
| | | | OTHE | R DO | CUM | ENT | S(i | ncluding | Author, Title, Date, Pertine | nt Pag | es, etc.) | - | | |
| W) | AE | | Alper, T, et al. The scrapie agent: evidence against its dependence for replication on intrinsic nucleic acid. J. Gen. Virol. (1978) 41, 503-516. | | | | | | | | | | | |
| | AF | | Anderson, R.M., et al. Transmission dynamics and epidemiology of BSE in British cattle. Nature (1996) 382, 779-788 | | | | | | | | | | | |
| | <u> </u> | Barry, R.A., et al. Scrapie and cellular prion proteins share polypeptide epitopes J. Infect. | | | | | | | | ect | | | | |
| | AG | | Dis. (1986) 153, 848-854 | | | | | | | | | | | |
| | | | | | | | | Monoclona 154, 518 | al antibodies to the cellular and | scrapie | prion prot | eins. | | |
| | AH | Ŀ | | | | | | | | | | | | |
| | AI | | sler, | | | | | | nd cellular PrP isoforms are encod | ded by | the same chr | omosomal | gene. | |
| | | | | | | | | | | | | | | |
| | T.A. | | | | | | | | etic propagation of strain-specifice (1995) 375,698-700 | lc prope | erties of so | rapie pri | on | |
| | | | • | | | | | | | 2244 | | | | |
| | AK | Bolton, D.C. et al. Identification of a protein that purifies with the scrapie prion. Science (1982) 218, 1309-1311 | | | | | | | | lence | | | | |
| | | Bruce, M., et al. Transmission of bovine spongiform encephalopathy and scrapie to mice; strain | | | | | | | | train | | | | |
| | AL | v | ariati | ion a | and | the | spe | cies barr | rier. Philos. Trans. R. Soc. Long | g. B. B: | lol. Sci (19 | 94) 343, | 405-411 | |
| | AM | | | | | | | | velopment and behaviour of mice lature (1992) 356, 577-582 | acking (| the neuronal | cell-sur | face | |
| | | \vdash | | | | | | | | | | | | |
| | AN | B | ueler | , н. | , et | al | . Mi | ce devoi | of PrP are resistant to scrapie | . Cell | (1993) 73, | 1339-1347 | | |
| 4 | <u> </u> | 4 | <u> </u> | _ | ١ | 1 ~ | _ | | | | | 1 | | |
| EXAMINE | ER | W | JAL T | 4 | N | / \~ | 1 | , | | DATE C | ONSIDERED 6 | 119/0 | 3 | |

| | | m PTO-144 | 9 .060 | REE | <u> </u> | Docket No.: DT-3073 Serial No.: 09/380,015 | | | | | | | | | |
|----------------|--|--|--|---------------|--------------|--|--|--------------|--------------|------------|---------|----------|--|---------------------------|--|
| | INFORMATION DISCLOSURE CONTINUE CONTINU | | | | | | | | | | | | | | |
| | | | 14 | LB , | ~ 2 (| Filing D | ate: August 23, 1999 | Gro | up: 1648 | | | | | | |
| | | | <u>. </u> | T.ATT | | J | S. PATENT DOCUMENTS | | - | | | | | | |
| | I | | | | | 0 | S. PATENT DOCUMENTS | | | Ι | | | | | |
| Exam. Init. | | | Document Number | | | | | | Date | Name | Class | Subclass | | iling Date appropriate | |
| | AA AB | | + | $\frac{1}{1}$ | | - | | | | | | | | | |
| |] | | | | L. | FORE | IGN PATENT DOCUMENTS | 1 | | | | | | | |
| | | | | | | 1 | | | Γ | TRANSL | ATTON | | | | |
| | | Document | . Nu | mber | | Date | COUNTRY | Class | Subclass | Yes | | | | | |
| | AC | - | - | | | | | | | | | | | | |
| | AD | | | Li | | | | | | | | | | | |
| | ·1 | | | | | | Author, Title, Date, Per | | | | | | | | |
| W | AO | conen, | Cohen, F.E., et al. Structural clues to prion replication. Science (1994) 264,530-531 | | | | | | | | | | | | |
| | AP | | Collinge, J., et al. Prion protein is necessary for normal synaptic function. Nature (1994) 370,295-297 | | | | | | | | | | | | |
| \vdash | | Collinge, J., et al. Molecular analysis of prion strain variation and the etiology of a "new | | | | | | | | | iew | | | | |
| | AQ | variant" CJD. Nature (1996) 383,683-690 | | | | | | | | | | | | | |
| | AR | Diener, | T.C |)., e1 | al. | Viroids | and prions. Proc. Natl. Acad. | Sci. U.S | .A. (1982) | 79, 5220-5 | 224 | | | | |
| | | Friden, | D N | 4 D | cent | or-mediate | d transport of therapeutics ac | rose tha l | nloodbrain b | arrier | | | | | |
| | AS | | | | | | 8 (Abstract) | - Coas the I | | | | | | | |
| | AT | | Garfin, D.E., et al. Mitogen stimulation of splenocytes from mice infected with scrapie agent. J. Infect. Dis. (1978) 138, 396-400 | | | | | | | | | | | | |
| | AU | | | | | | at forms of the bovine PrP gene octein-coding exon. J. Gen Viro | | | | short, | | | | |
| | AV | Griffit | h, c | J.S. | Self | -replicati | on and scrapie. Nature (1967) | 215, 104 | 3-1044 | | | | | | |
| + | AW | | | | | | of distinct scrapie prion iso Genes Dev. (1992) 6, 1213-122 | | region speci | fic in bra | ains of | | | | |
| | AX | | | | | brils from | n brains of cows with new cattle 90-392 | e disease | contain scr | apie-assoc | ciated | | | | |
| | | 1 | | 1 | , | <i></i> | | | | 1 / 5 | / . | | | | |
| EXAMIN | IER | $I \Lambda_{i} \Lambda_{i}$ | | 1/ | ~ | ~~ | | DATE | CONSIDERED | 4/19 | / ሰጌ | | | | |

| | For | m P | ro-144 | 9 | | | Docket No.:DT-3073 Serial No.: 09/380,015 | | | | | | | | | |
|----------------|----------|--|--|----------|--------|-----------------|--|---|---------|--------------|-----------------------|----------------------|-------|-------------|--|--|
| CI | INFORMA | rion In A | DISCI N APP | LOSUF | BINE | 70 | | | | | | | | | | |
| | | | | 6 | `, | ⁶ 50 | Applicant(s): Carsten Korth, et al. Fring Date: August 23, 1999 Group: 1648 | | | | | | | | | |
| | | | | | V68 , | | Faing D | eate: August 23, 1999 | Gro | Group: 1648 | | | | | | |
| | | | | | TATE | TEX. | U . | S. PATENT DOCUMENTS | | | | | | | | |
| Exam. Init. | | | Document Number | | | | | | | | Date | Name | Class | Filing Date | | |
| | AA | | | | | | | | | | | | | | | |
| | АВ | | | | | | | | | | | | | | | |
| | | | | | | | FORE | EIGN PATENT DOCUMENTS | | | | | | | | |
| | | Document Number | | | | | Date | COUNTRY | Class | Subclass | TRANSLATION Yes No | | | | | |
| | - AC | | | | | | | | | · | | | | | | |
| | AD | | | | | | | | | | | | | | | |
| | | отн | ER_DO | CUM | ents | (inc | cluding | Author, Title, Date, Perti | inent1 | Pages.,etc | s.·) | : | | | | |
| 111.) | AY | | Jendroska, K., et al. Proteinase-resistant prion protein accumulation in Syrian hamster brain correlates with regional pathology and scrapie infectivity. Neurology (1991) 41, 1482-1490 | | | | | | | | | | | | | |
| W | | | | | | | | | | | | | | | | |
| | AZ | | Kascsak, R. J., et al. Mouse polyclonal and monoclonal antibody to scrapie-associated fibril proteins. J. Virol (1987) 61, 3688-3693 | | | | | | | | | | | | | |
| | - | | Kasper, K.C., et al. Immunological studies of scrapie infection. J. Neuroimmunol (1982) 3, 187- | | | | | | | | | | | | | |
| | ВА | 2 | 01 | | | | | | | | | | | | | |
| - | - | | | | | | | nation of cells suspended in poly | | | | | | | | |
| | BB | | ntibod 1980) | | | | nds: a ne | w dimension in biological analys | 15. (N | =w TOLK: bl | enum Pres | 58 J | | | | |
| \vdash | | | | | | t al | Cell-free formation of protease-resistant prion protein. Nature (1994) | | | | | | | | | |
| | вс | 3 | 70, 47 | 11-47 | 4 | | | | | | | | | | | |
| \vdash | | K | rasema | nn. | S., e | t al | . Generati | on of monoclonal antibodies agai | nst hum | an prion pro | teins in | PrP ^{0/0} - | | | | |
| | BD | | | | | | | 2, 725-734 | | | | - | | | | |
| + | | | | | | | | el expression and characterizations in. Biochemistry (1996) 35, 552 | | purified 142 | -residue | _ | | | | |
| | BE | F | Abel | | . 51 (| e p | LION PLOCE | blockedistly (1770) 33, 332 | | | | | | | | |
| - | ļ | Oesch, B. et al. Prion protein genes: evolutionary and functional aspects. Curr. Top. | | | | | | | | | | | | | | |
| | BF | M | icrob | | ımmun | 01. | (1991) 172 | 2, 109-124 | | | | • | | | | |
| | <u> </u> | Oesch, B., et al. A cellular gene encodes scrapie PrP 27-30 protein. Cell (1985) 40, 735-746 | | | | | | | | | -746 | | | | | |
| | BG | - | | | | | | | | | | | | | | |
| | ВН | | | | | | | of the scrapie prion protein: qu 4) 33, 5926-5931 | antitat | ive analysis | of prote | ease | | | | |
| 14 | | 1 | | | | | | | | | | | | | | |
| EXAMIN | NER | \int_{Λ} | 人 | \dashv | 1) | ~ | v | _ | DATE (| CONSIDERED | 6/19/ | 03 | | | | |

| Form PTO-1449 | | | | | | | | | Docket No | o.:DT-3073 | Sar | Serial No.: 09/380,015 | | | | |
|----------------|--------------------|--------------------|--|---------|----------------|----------|------------|-----|-----------|--|-------------|-----------------------------|-------------------------------|--|--|--|
| | NFORMA' ATION : | | | | | | P | E | ·c) | | | | | | | |
| | | | | | (| o` " |) R 1 | 6 | Applicant | t(s): Carsten Korth, et al. | | | | | | |
| | | | | | / | . Al | /K 1 | | | ate: August 23, 1999 | Gro | ıp: 1648 | | | | |
| | | | | | | ~ | | TR | υ.s | S. PATENT DOCUMENTS | | | | | | |
| Exam. Init. | | Document Number | | | | | | | Date | Name | Class | Subclass | Filing Date if appropriate | | | |
| | AA | | | | | | | | | | | | | | | |
| | AB | | | | | | | | | | | | | | | |
| | | | | | | | | | FORE | IGN PATENT DOCUMENTS | - | | | | | |
| | | Document Number | | | | | | | Date | COUNTRY | Class | Subclass TRANSLATION Yes No | | | | |
| | AC | | | | | | | | | | | | | | | |
| | AD | | | | | | | | | | | | | | | |
| | (| тн | ER- | DOC | CUMI | ENT | 'S (i | nc | luding i | Author,—Title,—Date,—Per | tinent I | Pages,—etc | 3) | | | |
| hw | BI | | | | | | | | | alphahelices into beta-sheet Natl. Acad. Sci. U.S.A. (1993 | | | mation of the | | | |
| 1 | ВЈ | | Prusiner, S.B. Novel proteinaceous infectious particles cause scrapie. Science (1982) 216, 136 | | | | | | | | | | (1982) 216, 136- | | | |
| | вк | Pı | Prusiner, S.B. Molecular biology of prion diseases. Science (1991) 252, 1515-1522 | | | | | | | | | | | | | |
| | BL | fa | Prusiner, S.B., et al. Ablation of the prion protein (PrP) gene in mice prevents scrapie and facilitates production of anti-PrP antibodies. Proc. Natl. Acad. Sci. U.S.A. (1993) 90, 10608-10612 | | | | | | | | | | | | | |
| | вм | | Riek, R., et al. NMR structure of the mouse prion protein domain PrP(121-321). Nature (1996) 382, 180-182 | | | | | | | | | | | | | |
| | BN | | Riesner, D., et al. Disruption of prion rods generates 10-nm spherical particles having high alpha-helical content and lacking scrapie infectivity J. Virol. (1996) 70, 1714-1722 | | | | | | | | | | | | | |
| | во | | | | | | | | apid dete | ction of Creutzfeldt-Jakob dis | ease and s | scrapie pric | on proteins. | | | |
| | 89 | | tahl | | | | al. | Sc | rapie pri | on protein contains a phosphat | idylinosi | col glycolip | oid Cell (1987) | | | |
| | BQ | | | | | | | | | studies of the scrapie prion p mistry (1993) 32, 1991-2002 | protein us: | ing mass spe | ectrometry and | | | |
| 4 | BR | t | here | eof. | . (: | 199 | 3) I | nte | rnational | e prion polypeptides, and meth patent application number: P ; international publication da | CT//US93/ | 04600; Inter | | | | |
| , | 1/ | Ц_ | , | 1 | ,) | <u> </u> | | | | | | | 11161 | | | |
| EXAMINE | R (| W | الر | \perp | / V | ~ | | | | - | DATE O | CONSIDERED | 0/19/07 | | | |



Form PTO-1449

INFORMATION DISCLOSURE CITATION IN AN APPLICATION

Serial No.: 09/380,015

Applicant(s): Carsten Korth, et al.

Filing Date: August 23, 1999

Group: 1648

DATE CONSIDERED

U.S. PATENT DOCUMENTS

| Exam. Init. | | Document Number | | | | | | | Date | Name | Class | Subclass | Filing Date if appropriate |
|----------------|----|--------------------|--|--|--|--|--|--|------|------|-------|----------|-------------------------------|
| | AA | | | | | | | | | | | | |
| | AB | | | | | | | | 1 | | | | |

FOREIGN PATENT DOCUMENTS

| , | Document Number | | | | | | | Date | COUNTRY | Class | Subclass | TRANS) Yes | LATION No |
|----|-----------------|---|--|--|--|--|--|------|---------|-------|----------|---------------|--------------|
| AC | | | | | | | | | , | | | | |
| AD | | i | | | | | | | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, etc.)

| W | BS | antibodies to the purified fraction. Microbiol. Immunol. (1986) 30, 123-131 |
|---|----|--|
| | BT | Tobler, I., et al. Altered circadian activity rhythms and sleep in mice devoid of prion protein. Nature (1996) 380, 639-642 |
| | BU | Wells, G.A., et al. The neuropathology and epidemiology of bovine spongiform encephalopathy. Brain Pathol (1995) 5, 91-103 |
| | BV | Will, R.G., et al. A new variant of Creutzfeldt-Jakob disease in the UK (see comments). Lancet (1996) 347,921-925 |
| | BW | Williams, A.E., et al. Characterization of the microglial response in murine scrapie. Neuropathol. Appl. Neurobiol. (1994) 20, 47-55 |
| | BX | Williams, A.E., et al. Monocyte recruitment into the scrapie-affected brain. Acta Neuropathol (1995) 90, 164-169 |
| 4 | ВУ | Williamson, R.A., et al. Circumventing tolerance to generate autologous monoclonal antibodies to the prion protein. Proceedings of the National Academy of Sciences of the United States of America (1996) 93, 7279-7282 |
| | BZ | |
| | CA | |
| | СВ | |

EXAMINER